

IAG ref. (Office use only)	
Name of risk assessor	
Date assessed	
Assessor's signature	

Location of work					
(add NGR if discrete site)					
Period of operation					
Estimated min. and max.	D 41:		<b>4</b>	Name of Activity	
numbers in workgroup	Min.	l V	/lax.	Leader	
Generic hazards					

	Likelihood of	Potential	Risk level	
	risk (score 1-5)	harm (score 1-	rating	
Hazard		5)	(Likelihood x	Control measures
		,	Harm )	
		1		


continued from front sheet

Hazard	Likelihood of risk (score 1-5)	Risk level rating (Likelihood x Harm)	Control measures

Likelihood of risk	Broad guidance descriptor
Rare	This will probably never happen. Frequency less than 0.1%
Unlikely	Not expected to happen but it is possible it may do so. Frequency 0.1 - 1.0%
Possible	This might happen or recur occasionally. Frequency 1 - 10%
Likely	Will probably happen or recur, possibly frequently. Frequency 10 - 50%
Almost certain	Will undoubtedly happen or recur, possibly frequently. Frequency more than 50%

Potential harm	Broad guidance descriptor	
Insignificant	Requires no or minimal intervention or treatment	
Minor	Requires minor intervention	
Moderate	Requires professional attention	
Major	Leading to long term incapacity or disability	
Catastrophic	Death, multiple permanent injuries, or irreversible health effects	

	· ·						
			Likelihood				
Risk-	level matrix	1	2	3	4	5	
		Rare	Unlikely	Possible	Likely	Amost	
	1	1	2	3	4	5	
	Insignificant	Low	Low	Low	Moderate	Mode	
Ε	2	2	4	6	8	1	
harm	Minor	Low	Moderate	Moderate	High	Hiį	
=	3	3	6	9	12	1.	
Potential	Moderate	Low	Moderate	High	High	Extre	
ţe	4	4	8	12	16	2	
Ъ	Major	Moderate	High	High	Extreme	Extre	
	5	5	10	15	20	2.	
	Catastrophic	Moderate	High	Extreme	Extreme	Extre	



Score
1
2
3
4
5

certain
erate

gh

eme

o
eme

seme